Previous references.
Mul 325-04
542-08

1906.
(Municipal)

File No 328-06
Serial Nos 3,4 & 7-12

Later references
Mul 325 & 07 GA 1
Mul 275-12
Mul —— No 1-5, 8-12, & 14.

GENERAL AND REVENUE SECRETARIAT

Serial Nos. 3, 4 & 7-12.

Part B for July, 1912.

SUBJECT.

Water Supply to Doddaballapur town.

3. From the Asst Prest, Bangalore Dist, No D.7. 127 & 16.1.07. States that Doddaballapur is one of the towns where water scarcity is keenly felt, that water should be forced up to higher levels of the town by means of an oil engine and that the estimate of need the sanction of a loan for this purpose which can be paid back only by the levy of a water tax

14. To the Ch Engr, No 7912 & 9.3.07. Forwards copy of Dist. Memo no 7913 & 9.3.07. Forwards copy of the above to the Prest, Bangalore

From the Ch. Engr, no 2733 & 18.4.08 States that the Ex. Engr, Water Supply and Stores Divn, reports that the project for the water supply to Doddaballapur is not yet ready and that he will however be asked to expedite its submission

G. & S. 58

7. From Do, no 7584 & 31.8.10. States that the Ex. Engr. Water Supply & Stores Divn, has submitted proposals in the above

the water supply of the town at an initial cost of Rs 46,456/- and an annual maintenance charge of Rs 3,511/-, that considering the financial condition of the Mpl the project is beyond their means and that the project would be submitted if required.

8. To the Dy Com^{r}, Bangalore, no 2816 dt 20.9.10: forwards copy of Sl no 7 and requests him to submit the Doddaballapur Munl Council's views in the matter.

9. From the Dy Com^{r}, no 9521 dt 15.11.10: forwards a copy of his letter to the Dy Com^{r}, Bangalore Dist, re water supply to Doddaballapur and states that unless it is definitely known what the Mpl can afford to spend on the water supply project, it would be waste of time to prolong correspondence on the subject.

10. To the Dy. Com^{r}, Bangalore, no 1685 dt 28.11: Invites attention to Sl no 8 and requests early submission of the report thereon called for.

11. From Do, no DT 165 dt 22.6.12 submits a copy of the Doddaballapur Munl Council's resolution expressing their inability to finance the scheme, but agreeing to bear a third of the annual maintenance charges if the govt undertake the work and suggests that Gopinathi Tank would be a better source of water supply to the townspeople.

12. To Do & the Com^{r}, no 628-9 dt 17.7.12 observes that, in the circumstances, the scheme will have to wait till the resources of the Mpl are improved.

In view thereof,

3.8.12

G R S 11] 1906-07

GENERAL AND REVENUE SECRETARIAT

(Rl)

NOTES

File No 328-A

FILE HEADING

Wakes entirely to Doddaballapur.

From

The Municipal President, Bangalore Dist

No 07 127 Dated 16.1.'07 Received 18/1/1907

Diary No 6334 | Enclos — | Spare Copies — | Serial No 3

BRIEF ABSTRACT OF LETTER

States that ~~[illegible]~~ Doddaballapur is of the towns where water scarcity is keenly felt ~~and~~ that should be forced up to higher parts of the town by means of Engines, and that the municipality needs the sanction of a loan for this purpose which can be paid back only by the levy of a water tax on the people.

NOTES AND ORDERS

The President's suggestion for establishing water at Doddaballapur is the same as that made as regards Channapatna and Hoskote, viz to force up the water from an Abyssinian tube well by means of

Notes—First sheet

MCCL—1000—1-6

Serial No.

of an oil Engine to the highest ... and then allowing it to gravitate through the town. And to estimate the cost of the scheme. He suggested the employment of Mr. Ellis, Professor at Mandya, who is said to have studied the working of Abyssinian wells.

2 Those papers (Diary Nos. 6681 & 6824 were submitted to the 1st Commissioner on the 22nd instant.

Noting 3 Submitted to the 1st Commissioner 23/1/07 in continuation

1939 Hostel 1906

The previous file is not in existence. Mean while the matter is further considered

14/2/07

5 Draft submitted as per order Noting in regard to water-supply at Hostels

6 Done

4 To the Chief Engineer No. 7?/123/3-3 07

Forwards a copy of letter No. D 7/27 dt. 6-1-07 from the Dy. Comm., Bangalore District suggesting a scheme for the supply of water to the Hostels at Bangalore.

File No 1930 & 1931

Note—Contn sheet

GPB- 50,000—23-10-03

G R S. 12]
General and Revenue Secretariat.

TPJ

Rel File No 628 of 1906

Serial No.	
	Memo No 79138/9-3 of 07 to the Chief Engineer, Bangalore district Forwards copy of serial No 4
6	From the Chief Engineer. No 2733/18 4-08 States that the Ex Engr, Water-supply and Stores Division, reports that the project for the water-supply to Doddaballapur is not yet ready as his staff is fully employed on the completion of other projects in hand and that he will however be asked to expedite its submission. May the Chief Engineer's final report be awaited, reminder being issued after 2 months?
7	From the Chief Engineer of Mysore. No 7588/31-8-1910. States that the Ex. Engr. Water-supply and Stores Division, has submitted proposals in the rough for the water-supply of the town at an initial cost of Rs 46,456 and an annual maintenance charge of Rs 3,584, that considering the financial condition of the Municipality the project is beyond their means and that the project would be submitted

Note—Contn. sheet

GPB—50,000—23-10-05

6

G. R S. 12]
General and Revenue Secretariat.

2d File No. 328 of 190 6

Serial No

if required.

12 The financial condition of the Bobbilipur Municipality is not quite satisfactory. It stood as follows during the last years—

1909-10. Opening balance — Rs 1,493
Receipts — 4,210
Total — 5,703
Expenditure 5,352
Closing balance on 30-6-1910 was 351, which is less than the prescribed minimum working balance by Rs 702/-

13 The Munpty. is therefore quite unable to [illegible] the water-supply project nor can it meet the annual maintenance charge of Rs 3,511 be met from the present income of the Mty

14 Submitted for orders.

15 The Municipal Council may be consulted please put up draft

16 8 9 10 Mee 8/9/10

Draft put up ✓

17 Submitted

18 (Cr) 15 9-10 Mee

758 / 17. 9 10

18 approved

19 Issue 17-9-10 Mee

Note.—Contn. sheet.

GPB—55,000—27-4-09

G. R. S. 12]
General and Revenue Secretariat.

3251

5

In File No. 328 of 1906.

Serial No	
8	20 To the Deputy Comm. Bangalore Dt No. 2816 of 20.9.10. Forwards copy of P.C. No. 9 and requests him to obtain and submit the Doddaballapur Municipal Council's views in the matter.
9	21 From the Ch: Engr. No. 9521 of 15-11-10 Forwards a copy of his letter to the Dy. Commr Bangalore Dt, re water-supply to Doddaballapur and states that unless it is definitely known what the Municipality can afford to spend on the water-supply project, it would be waste of time to prolong correspondence on the subject. Submitted.
	The Dy. Commr replies to P.C. No. 8 may, if approved, be awaited.
	23 Submitted for orders.
	(Sd) 23 11 10
	24 Seen
	25/11/10
	25 Submitted. No further reference has been received. May the papers be recorded and kept in "Secd"? 26.11.10
	26 Please put up draft

14000
26 11 10

Note.—Contin. sheet.

G. R. S. 12]
General and Revenue Secretariat.

3281

6

Al File No. 328 of 1906

Serial No.	
	to the President enquiring how the matter stands.
	25 7-11 Asst
	Draft put up 28 Issued.
	28-7-11 Asst
10	To the Dy Comm^r, Bangalore District No 1088 & 2 of 11.
	Invites attention to S^r No 8 and requests early submission of the report therein called for
11	30 Letter No. D 7 65 dated the 22nd June 1912 from the Dy. Comm^r, Bangalore &C
	Submits a copy of the Chickballapur Munic^l Council's Resolution expressing their inability to finance the scheme but agreeing to bear a third of the annual Maintenance Charges if the Govt undertake the work and suggests that Gogihalle tank would be a better source of water supply to the town people.
	31 Submitted. The financial condition of the Doddballapur Municipality as per Current year's Budget is as follows:-
	Opening balance = 1891
	Estimated receipts = 3905
	Total = 5796

NOTE—Contin ebest

GPB—20,000—12-8-10

7684 7

G[illegible]R S 12]

General and Revenue Secretariat

Mct File No. 328 of 1916

Serial No

Estimated expenditure = 4504
Closing balance = 1292

Thus, the expenditure exceeds the income since the Municipal Council express their inability to meet even the maintenance charges, any elaborate scheme of water supply will have perhaps to be abandoned for the present and the Municipal Council advised to sink a few wells in suitable localities as funds permit. When furnishing rough estimates of the cost the Chief Engineer observed as follows:-

"Considering the present financial condition of the Municipality, the project seems to be quite beyond their means"

What was in August 1915 the finances of the Municipality are in no way better now.

32 Instructions are solicited as to whether the Dy. Comr. may be informed accordingly and asked to advise the Municipal Council to improve their finances or the Chief Engr requested to have details of the scheme worked up for supplying water from the Jogipahalli tank, as suggested by the Dy. Comr.

Mct 30
8-7-12

32 The financial condi

Note—Contn. sheet

GPB—6,000—17-6-12.

G.R. S 12]

General and Revenue Secretariat

M File No. 328 of 1916

Serial No

of the Municipality being what it is - a unit an income of about 3900 Rs per annum it is not possible to think of any feasible water supply project The annual maintenance charges, as estimated by the Engineering Department come up to 3511 Rs or very nearly equal to the whole income of the municipality. The Municipal Council have resolved that they could not afford to pay the initial charges which come to the high figure of 346456 and the D.C. states that even if this amount was given as a loan, the Municipal Council could not afford to pay it back. Moreover, the Mun Council only agree to bear 1/3rd of the maintenance charges. It is therefore not possible to think of any water supply scheme to Dodballapur town unless Govt could undertake to bear the initial charges + part of maintenance charges which, of course is not possible Hence the Deputy Com may be informed that the financial condition of the Munic-

*Note—Contn. sheet.

GPB—85 000—1,-6-12.

G.R. S 12]

General and Revenue Secretariat.

File No. 328 of 1916

Serial No

make it impossible to [redacted] consider the question of a water supply scheme further. The Deputy Com[missioner] thinks the Jogi hale tank would be a better source of supply. This, presumably would have been thought of by the Engineering Department Anyway, as the Mal Council is not in a position even to bear the maintenance charges of any scheme of water supply, the matter will have to be dropped.

2nd CR) Asst 8-7-12

33

The scheme should wait till the resources of municipal revenue are improved

Please put up draft

Asst 11-7-12

35 Draft submitted.

27.7.12

Note—Contin sheet

GPB—6,000 -6-16 Issue Asst 12-7-12

G&R S 12]

General and Revenue Secretariat

Rl File No. 328 of 1916

Serial No	
12	37 G O no 628-9 dated the 17th July 12 Observes that, in the circumstances, the scheme will have to stand till the resources of the municipality are improved.

Note—Contn. sheet

4 PB—65 000—17 6 12.

1906.7

From
K. Mine President
Bangalore Dist.

To
The Secy to the Govt of Mysore
Gen. & Rev. Dept

Dated 16

Despatched 18 January 1907

Received

General No

2 2 No 127

Enclosure No

His No. 6093 4 of 5.1.07
Rec 28.06.2

Letter with reference
to D. R. A. No. 522 of 1906
re water supply to Doddaballapur

D.O. 127.

Bangalore District
Municipal Executive Officer's Office
Bangalore 16th January 1907

RL 328-6
8/3

From

V. N. Sparkes Esqr. i/c
Municipal Executive
Bangalore District

To

The Chief Secretary to Government of Mysore
Revenue and Rural Department

Sir,

With reference to your docket No. 6093-4 Revl 328 of 2 dated 5th January 1907, forwarding for early attention, subject as per 322 of the Mysore Representative Assembly of 1906, the letter dated 29th to Doddaballapur. I have the honor to invite your kind reference to my letter No. 125 dated 10th instant in which it is explained how the difficulty complained of as regards Water Supply could be mitigated. This is one of the towns where water scarcity is keenly felt as stated in my letter under reference. Water should be pumped up to the higher parts

parts of the town by means of an ordinance
to meet the expenses in connection with the
working of the Scheme suggested, the Municipality
needs the raising of a loan which could be
paid back by the levy of a better tax on
the people.

I have the honor to be,
Sir
Your most Obedient servant

[signature]
Municipal President
Bangalore District

W. Encl. 224

3

G.R.S. 26]

File No. 32-
Serial No. 60

Diary No. of letter replied to 6334

No. 7912 F.
M 328-06-4

General and Revenue Secretariat
(Mk.)
Dated, the 19th Feb. 1907

To W. McC. Hutchison Esq. M.E.
Chief Engineer of Mysore

Date of issue 9.3.07

Signed by

Sir,

In continuation of my letter No. 7333 dated the 15th Feb. 1907 I am directed to forward herewith a Copy of letter No. S.Z. 127 dated the 16th January 1907 from the Sy. Commissioner of the Bangalore Dt. suggesting a scheme for the Water Supply of Doddaballapur.

I have &c

[illegible]
9/2/07
for Secy.

SUBJECT

P.J.

Dispatch 7913

Copy forwarded to the Secretary, Board of Revenue, Madras, for information with reference to his letter No. 127 dated 16/1/17

By order

for Secretary

S.J. 19/1/17

List of enclosures

Copied by

Examined by [illegible]

GPB—10,000—20-4-06.

No. 2733

MYSORE P W DEPARTMENT

CENTRAL OFFICE,

Bangalore, 18th April 1908.

From

W McHUTCHIN, Esq, M I C.E,

Chief Engineer of Mysore,

Bangalore

To

C.S.Balasundaram Iyer Esquire, B.A.,

Secretary to the Government of

His Highness the Maharaja of Mysore,

General and Revenue Departments,

BANGALORE.

Sir,

With reference to correspondence ending with this office No. 7982 of the 15th November 1907, stating that the project for the water supply to Dodballapur and other towns will be ready in February 1908 or so, I have the honor to inform you that the Executive Engineer, Water Supply and Stores Division, reports that the project for the water supply to Dodballapur is not yet ready, as his staff is fully employed on the completion of other projects in hand. He will however be asked to expedite its submission.

I have the honor to be,

Sir,

Your most obedient servant,

For Chief Engineer of Mysore,

D7729

180

MYSORE P W DEPARTMENT.

No.

From

THE CHIEF ENGINEER OF

To

Dated Bangalore,

Despatched

Enclosure No.

SUBJECT

4-06

GRS 45

SECRETARY'S OFFICE 7123 3 AUG 1910 MYSORE

1593

GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

GENERAL AND REVENUE DEPARTMENT

No , dated the 22-8-1910

177 Municipal

REPLY

No 7584, dated the 31-8-1910

To

The Chief Engineer of Mysore

To

The Secretary to the Government of H H the Maharaja of Mysore, General and Revenue Depts

SUBJECT

Re water supply to Doddaballapur Town

OFFICE MEMORANDUM

The undersigned is directed to invite attention to the marginally noted communication and to request that the General and Revenue Secretariat may be informed, in the column opposite, of the cause of delay in furnishing a reply and of the approximate date on which a reply may be expected

*No 7912 dated 9/3/11 Ml 328-06-4

He is also to request that the General and Revenue Secretariat may be favored with a reply to this reminder not later than the 1st September 1911

By order

for Offg Secretary

The Executive Engineer Water Supply & Sewerage Division, has submitted proposals in the enclosed for water supply to Doddaballapur town the (first) instal cost of which is estimated at Rs 46,456, & the annual recurring charges (for maintenance) at Rs 3,511.

Considering the present financial condition, the Municipality, the proposal seems to be quite beyond their means & will be submitted if required

Previous reminder

9386

20/11/11

Files

Files removed from Ch. table

(1733)

CPB—2000—28-5-09

G R S 26]

File No. 328

Serial No 8

Diary No of letter replied to 1593

No 2816

ml 328-06

Dy 20-9-10.

General and Revenue Secretariat

(ml)

, the 19

To The Dy Commr Bangalore Dt

Sir,

Date of issue 20.9.10

Signed by MK M

I am directed to forward copy of letter No 7584 & 31-8-1910 from Engineer of Mysore stating that the Sur Water-Supply & Stores Division has submitted proposals in the rough for the water-supply of the Doddaballapur town the initial cost of the scheme being Rs 46,456/ and the annual recurring charge on account of maintenance being Rs 3,511/-, and to request that you will be so good as to have the matter placed before the Municipal Council and submit their views in the matter at an early date. I have the

For Offg Secy

16/9/10

SUBJECT

List of enclosures,

Copied by

Examined by

GPB—24,035—12-8-10

P 328/1

8

Mysore Public Works Department,

No. 952

Central Office,

Dated Bangalore, 15th November 1910.

From

M 328-6/9/9.

M.Visvesvaraya,Esqr., M.I.C.E.,

Chief Engineer of Mysore,

Bangalore,

To

B.Kumarasami Naik,Esqr., B.A.,

President of the Municipalities,

Bangalore District.

Sir,

With reference to your letter No.127 dated the 15th January 1907 to the address of the Secretary to Government, General and Revenue Departments, regarding water supply to Dodballapur, I have the honour to forward the enclosed copy of a Memo drawn up by the Executive Engineer, Water Supply and Stores Division, on the subject, and to enquire whether the Dodballapur Municipality can afford to meet the initial outlay estimated at Rs.46,466 and the annual recurring charges at Rs.3,811 If not I request you will be good enough to indicate the minimum amounts under each head that that Body would be able to provide.

2. It is desirable that the question as to what - capital outlay and recurring expenditure would be considered justifiable in this case should be first settled in communication with Government in the General Department

9

Unless the question of funds is first settled, this Department does not propose to take any further action in the matter.

I have the honour to be,

Sir,

Your most obedient servant,

(Sd) M Visvesvaraya,

Chief Engineer of Mysore

W 1911 No. 9521 Dated Bangalore 12th November 1910.

Copy of above is forwarded, with compliments, to the Secretary to Government, General and Revenue Departments, for information, with reference to correspondence ending with this office No 7584 dated the 31st August 1910

2 Unless it is definitely known what the Municipality can afford to spend on the water supply project, it is a waste of time to prolong correspondence on the subject

Chief Engineer of Mysore

HM

328/1917

GRS 26]

File No 328
Serial No 06

Diary No of letter replied to

No 1085 8/8/11
Rl 328-06-

General and Revenue Secretariat
(Municipal)
, the 19

To

The Dy Comm, Bangalore

Sir,

I am directed to invite your attention to this office No 28168 dated 20-9-1910, asking for the views of the Municipal Council ~~regarding~~ in regard to the project for the supply of water ~~supply~~ to the Doddballapur Town and to request you to be so good as to ~~state how the matter stands at present~~ expedite the submission of the Shavetea asked.

For Secy

SUBJECT

List of enclosures:

Copied by

Examined by

GPO—10,000—63-1-10

1911-12

From

The Deputy
Bangalore District

To

The Secretary to the
Government of Mr
General & Revenue

Dated 22nd June 1912

Despatched

Received

General No
UA No 165

Enclosure No 1

Reg. Your letter No 2816 Ml 328-06-8 of 20th September 1910

---

submitting the views of the municipal Council of Doddaballapur in regard to the water supply proposal to the town



Office of the Deputy Commissioner

Bangalore District

[redacted] Bangalore, ~~17~~th June 1912
22

B J Kumaraswami Naik Rsq., B A ,

Deputy Commissioner, Bangalore District.

To

K.R Sreenivasa Iyengar Esq., M.A.,

Offg. Secretary to the Government of H.H.

the Maharaja of Mysore, Genl and Rev.Deptts

Sir,

Adverting to your letter No.2816/Ml-328-06-8 dated 20th September 1910, forwarding copy of letter No 7584 dated 31st August 1910, from the Chief Engineer of Mysore, submitting proposals for the supply of water from the Nagarakere Tank to the town of Dodballapur at an estimated initial cost of Rs.46,456/- and calling for the submission of the views of the Municipal Council of Dodballapur in the matter, I have the honor to state as follows -

1 The Municipal Council discussed the subject at a -- meeting held on 30th November 1910 and were of opinion that the estimated initial cost is prohibitive, that the cost might be decreased if a detailed estimate is prepared, that similar project prepared sometime ago amounted to Rs 20,000/-, that the -- present scheme may be financed by Government and that the Council are agreeable to bear 1/3rd of the maintenance charges

(Copy of their resolution is enclosed)

2 Dodballapur is one of the towns where difficulty for drinking water is keenly felt The Municipal Council are -- anxious to secure good drinking water supply for the towns -- people, but in view of the financial condition of the Municipality , I am afraid the initial cost of the Nagarkere water supply project is prohibitive If the Municipality is helped by the grant of a loan, it has no means to repay the same in small instalments, unless the resources are thoroughly husbanded.

12

Further, the Municipality is also unable to bear the full maintenance charges. In this connection, I beg to state that Nagarkere does not seem to be a suitable reservoir from a sanitary point of view as the drainage of the eastern part of the Dodballapur town finds its way into the tank Even if a sewage drain were to be constructed to divert the sewage into the Kodihalla which would involve a heavy outlay, the highly manured vegetable and flower gardens fringing the contour of the Nagarkere Tank will continue to drain into the tank and pollute the water unless the said lands in the catchment area are acquired at a heavy compensation for the sanitation of the Reservoir

3 As opined by the Municipal Council, I think Jogihalli tank(Amani Palanakere)which is comparatively larger in -- capacity and free from pollution would be a better source for the supply of water to the towns people

I have the honor to be
Sir,
Your most obedient servant

Deputy Commissioner,
Bangalore District

krh

Vol 328-06/5/11 1

Proceedings of the Meeting of Doddaballapur Municipality held on 30th November 1910

Present

Mr A. Krishnaiya Amildar and Vice President

Members

Mr Kolur Ramappa
" Sheroff Puttanna
" Hampalli Audinarayanah
" Basaik Saab
" D. Kongadeappa
" Papanna
The Hospital Assistant
The Sub Registrar

Absent

The D.P.W Sub Divisional Officer
Mr A Venkatanarniah
" Abdul Khadar
" Chendrasekharaiah
" Saadi Chikka Hanumanthiah

× × ×

IV Read Ankkam No 427 7/11/10 received from the Sub Divisional Officer, Doddaballapur re

water supply to Doddaballapur
town. Resolved that the esti-
-mated cost viz; Rs 46,456/- is
prohibitive, that the cost
might be decreased if a
detailed estimate is prepared,
that a similar estimate is
prepared sometime ago it
amounted to Rs 20,000/-
that the present scheme be
financed by Government
and that the council are
agreeable to bear one-third of
the annual maintenance
charges.

(Sd) A Krishnamurthy
Vice President

'Copy'

Deputy Commissioner.
Bangalore District

[G.M.S. 28]

File No 328-'07
Serial No 12

Diary No of letter replied to 7284

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT
( )

Dated the 12-7- 1912

Date of issue 17-7-12

Signed by Mr LPR

READ—

Subject No 532 brought forward at the R. Assembly of 1912 regarding water supply to Bangalore City

ORDER THEREON—No.

Letter

1) Correspondence ending with letter No 92 dated the 22nd June 1912 from the City Commissioner, Bangalore District, attaching with

over

SUBJECT.

MPB—10,000—19-4-10

reference to the scheme of the town with supplying water from the Nagarakere lands (engineered by the Chief Engr and involving an original outlay of Rs 46,456 and a Annual Maintenance Charge of Rs 3511) that the Munl. Board express their inability to finance the scheme but are agreeable to bear the interest on the Annual Maintenance charges if the Govt undertake the works.

and are unable to meet the maintenance charges in full

Order thereon 628-9 dtd 3rd Oct. 06. dt 17.7.12

In the circumstances, the scheme should not be undertaken which till the resources of the municipality are improved.

for Secy

Sd/-

To, The Dy Comr, Bangalore Dt
Chief Engr of Mysore
Memo Copy to Devanahalli Taluk Board for order if any

for Secy.